

**Section 1. Identification**

**Product Name:** ROYALSIL HI-PURITY AMMO

**Product Use:** Amino functional silane that may be used over a wide range of applications to give an improvement in the bond between the substrate, filler or reinforcement resin that reacts with the amino group. It is excellent promoter of adhesion when used with polyurethane, epoxy and phenol.

**Effective Date:** 5 May 2017

**Replaces:** 8 April 2015

**Supplier Information:**

ROYALSIL, Inc.  
25 Lancelot Lane  
Mount Laurel, NJ 08054-1912

**USA Emergency Phone Number:**

**CHEMTREC (24-hr/7 days): 1-800-424-9300**

**Refer to ROYALSIL, Inc. contract # CCN674872.**

**Section 2. Hazard(s) Identification**

**Emergency Overview:** Clear combustible liquid. Prolonged contact causes skin burns and eye damage. Ingestion or inhalation will be harmful. Toxic to aquatic life.

**GHS Classification:**

**Respiratory sensitization**

**Category 1**

**Serious eye damage/eye irritation**

**Category 1**

**Skin sensitization**

**Category 1B**

**Hazardous to the aquatic environment**

**Acute, Category 2**



**GHS Pictograms:**

**GHS Label:** DANGER

**POTENTIAL HEALTH EFFECTS:**

**CODE OF HAZARD STATEMENTS:**

**Physical Hazards**

H227- Combustible liquid.

**Health Hazards**

H227- Combustible liquid.

H302- Harmful if swallowed.

H317- May cause an allergic skin reaction

H318- Causes serious eye damage.

H332- Harmful if swallowed.

**Environmental Hazards**

H401- Toxic to aquatic life.

**CODE OF PRECAUTIONARY STATEMENTS:**

**General**

P101- Keep out of reach of children.

P103- Read label before use.

**Prevention Statements**

P202- Do not handle until all safety precautions have been read and understood.

P233- Keep container tightly closed.

P260- Do not breathe vapors/spray.

P261- Avoid breathing dust/fume/gas/mist/vapor/spray.

P262- Do not get in eyes, on skin or on clothing.

P264- Wash thoroughly after handling using this product.

P270- Do not eat, drink, or smoke when using this product.

P271- Use only outdoors or in a well-ventilated area.

P273- Avoid release to the environment.

P280- Wear protective gloves/protective clothing/eye protection/face protection.

**Response Statements**

P302- P352- IF ON SKIN (or hair): wash with plenty water/soap.

P304- P340- IF INHALED. Remove victim to fresh air and keep at rest in apposition comfortable and breathing.

P305- P338- P351- IN IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310- Immediately call a Poison Center or doctor/ physician.

P333- P313- If skin irritation or rash occurs: Get medical advice/attention.

P342- P311- If experiencing respiratory symptoms: call POISON CENTER/doctor.

P363- Wash contaminated clothing before reuse.

P370- P378- In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

P391- Collect spillage.

**Storage**

P235- P403-Keep cool. Store in well-ventilated place.

P405- Store locked up.

**Disposal**

P501- Dispose of contents/container to an approved waste disposal plant.

**ROUTES OF ENTRY:** Eye contact, skin adsorption, ingestion and inhalation.

**CARCINOGENICITY:** Methanol is listed as reproductive toxin.

**Section 3. Composition/Information on Ingredients**

Ingredients	CAS No.	EINECS No.	%	Reach No.
3-Aminopropyltrimethoxysilane	13822-56-5	237-511-5	≥98%	No
Methanol	67-56-1	200-659-6	≥ 1%	Yes

#### **Section 4. First Aid Measures**

**General Advice:** In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.

**Eye Contact:** Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

**Skin Contact:** Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse. If irritation persists, contact a physician.

**Inhalation:** Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

**Ingestion:** If swallowed, get medical attention immediately. **DO NOT INDUCE VOMITING.** Never give anything by mouth to an unconscious person.

**Note to physician:** Treat Symptomatically and supportively.

#### **Section 5. Fire Fighting Measures**

**Flash Point:** 296°F (147°C) Flammable liquid

**Flammability Limits:** LEL: ND UEL: ND

**Fire Fighting Media:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. At temperatures above 320°F (150°C) in air the product can form formaldehyde vapor and moisture.

**Special Fire Fighting Procedures:** In case of fire cool endangered containers with water. Hazardous fumes in fires, specific to the product are ammonia, alcohols, amines, nitrogen and silicon oxides. First responders need to wear full-bunker gear with Self Contained Breathing Apparatus (SCBA), never enter a confined space unless fully protected with proper personal protective equipment (PPE).

#### **Section 6. Accidental Release Measures**

Use personal protective equipment, see section 8.

**Clean-up Procedures:** Stop the source of the release if you are not put at risk. Use inert absorbent material (such as earth, diatomaceous earth, vermiculite) to absorb the spill, use non-sparking shovel to pick up absorbent for disposal. Assure sufficient ventilation. Spills and Leaks: Dispose in accordance to local, state or federal regulations.

#### **Section 7. Handling and Storage**

**Handling:** Provide good ventilation. Wear personal protective equipment, see section 8. Do not get into eyes, on skin and on clothing. Do not breathe vapors or mists. Use with adequate ventilation. Wash thoroughly after handling.

**Storage:** Store in original labeled container. Keep in cool and dry areas.

**Section 8. Exposure Controls/Personal Protection**

**Introductory Remarks:** Use a local exhaust ventilation or other engineering controls to minimize airborne exposure. A safety shower and eye wash should be readily available. Methanol permissible exposure limit (PEL) is 260 mg/m<sup>3</sup>.

**Personal Protection:**

**Eyes:** Wear safety goggles or face shield to prevent eye contact.

**Body:** Chemical apron, long sleeve shirts, long pants, socks, and rubber boots.

**Hands:** Chemical resistant gloves.

**Respiratory:** Wear an approved respirator that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

**Section 9. Physical and Chemical Properties**

<b>Physical State, Color, Odor</b>	Clear liquid with slight odor	<b>Vapor Pressure</b>	< 2hPa @ 68°F (20°C)
<b>Ignition Temperature</b>	572°F (300°C)	<b>Density(water=1)</b>	> 1.02 @ 77°F (25°C)
<b>pH</b>	10.5 @ 77°F (25°C)	<b>Solubility</b>	Reacts with water
<b>Melting Point</b>	<-58°F (<-50°C)	<b>Boiling Point</b>	296°F (147°C)
<b>Flash Point</b>	296°F (147°C)	<b>Thermal Decomposition</b>	>302°F (>150°C)

**Section 10. Stability and Reactivity**

**Chemical Stability:** Considered stable under normal ambient temperatures.

**Hazardous Decomposition:** In complete combustion, oxides of carbon, nitrogen and silicate are formed.

**Hazardous Polymerization:** Will not occur.

**Incompatibility- Materials to Avoid:** Reacts with water, acids and bases.

**Section 11. Toxicological Information**

**Toxicology:** **Acute Oral LD<sub>50</sub> (rat) = 2,995 mg/kg**  
**Acute Dermal LD<sub>50</sub> (rat) =>2,000 mg/kg**

**Skin Irritation:** Mildly irritating.

**Eye Irritation:** Serious damage to eyes.

**Acute Eye Irritation:** Severe.

**Acute Skin Irritation:** Mild.

**Acute Dermal Toxicity:** Not expected to be toxic through the skin.

**Acute Inhalation Toxicity:** Expected to be an irritant to the respiratory system.

**Reproductive Toxicity:** No evidence of adverse effects on sexual function and fertility or on development, based on animal experiments.

**Carcinogenic Effects:** Methanol is listed as a reproductive toxin.

### Section 12. Ecological Information

**Ecotoxicity:**  $EC_{50}(\text{zebrafish}) = 597 \text{ mg/L (96 hour)}$

$EC_{50}(\text{Daphnia magna}) = 81 \text{ mg/L}$

$EC_{50}(\text{Green algae}) \Rightarrow 1,000 \text{ mg/L}$

This is to aquatic organisms.

**Environmental Fate:** Methanol is readily bio degradable. Silanol- and/or siloxanol compounds are not readily biodegradable. There is low bio accumulative potential. Very low adsorption in soil.

### Section 13. Disposal Considerations

**Waste Disposal Method:** Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal Regulations.

**Container Handling and Disposal:** All containers should be triple rinsed and disposed of according to local, state and Federal regulations.

### Section 14. Transport Information

**Shipping Name:** ROYALSIL HI-PURITY AMMO

**Proper Shipping Description (Ground):**

UN3267, Corrosive, Liquid, Basic, Organic, N.O.S., (3-aminopropyltrimethoxysilane), 8, II, RQ  
Methanol 5000 lbs. (2270 KGS.) Marine Pollutant

**IATA: (Cargo aircraft only)**

UN3267, Corrosive, Liquid, Basic, Organic, N.O.S., (3-aminopropyltrimethoxysilane), 8, II, RQ  
Methanol 5000 lbs. (2270 KGS.) Marine Pollutant

Use packing instruction 812. The maximum net capacity is 7.93 gal (30 L).

**IMO (Water):**

UN3267, Corrosive, Liquid, Basic, Organic, N.O.S., (3-aminopropyltriethoxysilane), 8, II, RQ  
Methanol 5000 lbs. (2270 KGS.) Marine Pollutant

Use packing instruction P001.

**Section 15. Regulatory Information**

**EPCRA 311/312 Categories:** Immediate (Acute) Health Effects: Yes  
 Delayed (Chronic) Health Effects: Yes  
 Fire Hazard: Yes  
 Sudden Release of Pressure: No  
 Reactivity: Yes

**Right to know classification:** Methanol is listed in the states of MA, NJ and PA. 3-aminopropyltrimethoxysilane is listed in MA, NJ and PA.

**TSCA:** Both ingredients are listed.

**Reportable Quantity (RQ):** Methanol 5000 lbs. (2270 KGS.)

**Prop. 65:** Methanol, reproductive toxin



Corrosive Materials



Dangerously Reactive Material

Both ingredients are listed in the DSL and NDSL lists in Canada.

Compounds are listed as chemical inventories of Australia, European Economic Commission, European Union, Germany, Israel, Japanese, Korea, Ministry of International Trade and Industry, Netherlands, Philippines, Switzerland, Taiwan, United States of America and United Kingdom.

**Abbreviations:**

---

CAS #	Chemical Abstract Service Number		
°C	Celsius temperature scale	°F	Fahrenheit temperature scale
EINECS #	European Inventory of Existing Chemical Substances Number		
hPa	hectopascal	LD <sub>50</sub>	Lethal dose oral or dermal
LC <sub>50</sub>	Lethal dose inhalation	LEL	Lower explosive limit
UEL	Upper explosive limit	PEL	Permissible Exposure Limit
PPE	Personal Protective Equipment	Prop.	Proprietary
PSI	pounds per square inch	NA	Not applicable
ND	Not determined	STEL	Short Term Exposure Limit
TLV	Threshold Limit Value	TSCA	Toxic Substance Control Act
TWA	Time Weighted Average		

---

**Section 16. Other Information**

**Hazardous Material Information System      National Fire Protection Association**

	<b>HMIS</b>	<b>NFPA</b>	
Health	3	3	Health
Fire	2	2	Fire
Reactivity	1	1	Instability
Personal Protection	H		NA

Health	4 Deadly	3 Extreme Danger	2 Dangerous	1 Slight hazard	0 No hazard
Fire	4 < 73 °C	3 < 100 °C	2 < 200 °C	1 >200 °C	0 Will not burn
Reactivity/ Instability	4 May detonate	3 Explosive	2 Unstable	1 Normally stable	0 Stable

**Prepared by: Dennis E. Belau**

**Reviewed by: Rosario A. Licciardello  
ROSARIO@ROYALSIL.com**

This Safety Data Sheet (SDS) meets the requirements of the Federal OSHA Hazard Communication Standard (29 CFR 1910.1200) this product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all information required by CPR.

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability or completeness.

It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own use. We do not accept liability for any loss or damage that may occur from the use of this information.

Nothing herein shall be construed as a recommendation for uses which infringe on valid patents or as extending the license under valid patents. This SDS provides selected regulatory information on this product, including its components.

This is not intended to include all regulations. It is the responsibility of the user to know and comply with all applicable rules, regulations and laws related to the product being used.

**DISCLAIMER**

Strictly for Commercial or Research and Development use only. Not intended for drug, household or other noncommercial uses.

The use of “Qualitative Determinations of Organosilanes” is subject to many variables which can be environmentally or human caused which may allow the reading of results to be inaccurate.

The user of this information takes full responsibility in how these tests are performed and the seller in no way expressed, written or implied is responsible for the interpretation of the results. All use of these tests is the full responsibility of the user.

**WARRANTY**

The information above in the Safety Data Sheet is believed to be accurate and represents the best information currently available to ROYALSIL Inc and its supplier.

However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use.

Users should make their own investigations to determine the suitability of the information for their purposes. In no event shall ROYALSIL Inc. or its supplier be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, how so ever arising, even if ROYALSIL Inc and its supplier has been advised of the possibility of such damages. (REV: 9-4-16)