

**Section 1. Identification**

**Product Name:** ROYALSIL HI-PURITY TEOS-40

**Product Use:** It is commonly used as a cross linking agent and as a surface modifier.

**Effective Date:** 9 August 2019

**Replaces:** 21 May 2019

**Supplier Information:**

ROYALSIL, Inc.  
25 Lancelot Lane  
Mount Laurel, NJ 08054-1912

**USA Emergency Phone Number:**

**CHEMTREC (24-hr/7 days): 1-800-424-9300**

**Refer to ROYALSIL, Inc. Contract # CCN674872.**

**Section 2. Hazard(s) Identification**

**Emergency Overview:** Clear liquid. Causes mild skin irritation. Cause serious eye damage. Harmful to aquatic life.

**GHS Classification:**

**Skin Corrosion/Irritation**

**Category 2**

**Skin Irritation**

**Category 2**

**Serious Eye Damage/Irritation**

**Category 2A**

**Flammable Liquid**

**Category 3**



**GHS Pictograms:**

**GHS Label:** WARNING

**POTENTIAL HEALTH EFFECTS:**

**CODE OF HAZARD STATEMENTS:**

**Physical Hazards**

H226- Flammable Liquid and vapor.

**Health Hazards**

H226- Flammable Liquid and vapor.

H303- May be harmful if swallowed.

H315- Causes skin irritation.

H317- May cause an allergic skin reaction.

H320- Causes eye irritation.

H332- Harmful if inhaled.

**Environmental Hazards**

H402- Harmful to aquatic life.

**CODE OF PRECAUTIONARY STATEMENTS:**

**General**

P101- Keep out of reach of children.

P103- Read label before use.

**Prevention Statements**

P202- Do not handle until all safety precautions have been read and understood.

P233- Keep container tightly closed.

P261- Avoid breathing dust/fume/gas/mist/vapor/spray.

P262- Do not get in eyes, on skin or on clothing.

P264- Wash thoroughly after handling using this product.

P270- Do not eat, drink, or smoke when using this product.

P271- Use only outdoors or in a well-ventilated area.

P273- Avoid release to the environment.

P280- Wear protective gloves/protective clothing/eye protection/face protection.

**Response Statements**

P302- P352- IF ON SKIN (or hair): wash with plenty water/soap.

P304- P312- P340 - IF INHALED. Remove victim to fresh air and keep at rest in position comfortable and breathing. Call a POISON CENTER or doctor/physician you feel unwell.

P305- P310- P338- P351 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician if you feel unwell.

P333- P313- If skin irritation or rash occurs: Get medical advice/attention.

P363- Wash contaminated clothing before reuse.

P370- P378- In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

**Storage**

P235- P403- Store in well-ventilated place. Keep cool.

**Disposal**

P501- Dispose of contents/container to an approved waste disposal plant.

**ROUTES OF ENTRY:** Eye contact, skin adsorption, ingestion and inhalation.

**CARCINOGENICITY:** None.

<b>Section 3. Composition/Information on Ingredients</b>				
--	--	--	--	--

Ingredients	CAS No.	EINECS No.	%	Reach No.
Tetraethyl orthosilicate hydrolyzed	68412-37-3	270-184-7	>40%	Yes
Ethanol	64-17-5	200-578-6	<10%	Yes

#### **Section 4. First Aid Measures**

**General Advice:** In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.

**Eye Contact:** Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

**Skin Contact:** Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse. If irritation persists, contact a physician.

**Inhalation:** Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

**Ingestion:** If swallowed, get medical attention immediately. **DO NOT INDUCE VOMITING.** Never give anything by mouth to an unconscious person.

**Note to Physician:** Treat symptomatically and supportively.

#### **Section 5. Fire Fighting Measures**

**Flash Point:** 143°F (62°C) Flammable liquid

**Flammability Limits:** LEL: 1.3% UEL: 23%

**Fire Fighting Media:** Use alcohol-resistant foam, dry chemical or carbon dioxide.

**Special Fire Fighting Procedures:** Eliminate all sources of ignition and ensure adequate ventilation. In case of fire cool endangered containers with water. First responders need to wear full-bunker gear with Self Contained Breathing Apparatus (SCBA), never enter a confined space unless fully protected with proper personal protective equipment (PPE).

#### **Section 6. Accidental Release Measures**

Use personal protective equipment, see section 8.

**Clean-up Procedures:** Stop the source of the release if you are not put at risk. Use inert absorbent material (such as earth, diatomaceous earth, vermiculite) to absorb the spill, use non-sparking shovel to pick up absorbent for disposal. Assure sufficient ventilation.

**Spills and Leaks:** Dispose in accordance to local, state or Federal regulations.

#### **Section 7. Handling and Storage**

**Handling:** Provide good ventilation. Wear personal protective equipment, see section 8. Do not get into eyes, on skin and on clothing. Do not breathe vapors or mists. Use with adequate ventilation. Wash thoroughly after handling.

**Storage:** Store in original labeled container. Keep in cool and dry areas.

**Section 8. Exposure Controls/Personal Protection**

**Introductory Remarks:** Use a local exhaust ventilation or other engineering controls to minimize airborne exposure. A safety shower and eye wash should be readily available.  
Tetraethyl orthosilicate permissible exposure limit (PEL) 850 mg/m<sup>3</sup>  
Ethanol permissible exposure limit (PEL) is 1,900 mg/m<sup>3</sup>.

**Personal Protection:**

**Eyes:** Wear safety goggles or face shield to prevent eye contact.

**Body:** Chemical apron, long sleeve shirts, long pants, socks, and rubber boots.

**Hands:** Chemical resistant gloves.

**Respiratory:** Wear an approved respirator that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

**Section 9. Physical and Chemical Properties**

<b>Physical State, Color, Odor</b>	Clear liquid with ester odor	<b>Freezing Point</b>	-76°F (-60°C)
<b>Flash Point</b>	143°F (62°C)	<b>Density(water=1)</b>	1.06 g/ml @ 68°F (20°C)
<b>Ignition Temperature</b>	455°F (235°C)	<b>Boiling Point</b>	320°F (160°C)

**Section 10. Stability and Reactivity**

**Chemical Stability:** Considered stable, under normal ambient temperatures.

**Hazardous Decomposition:** In complete combustion, oxides of carbon and silicate are formed.

**Hazardous Polymerization:** Will not occur.

**Incompatibility- Materials to Avoid:** Reacts with strong oxidizing agent and water.

**Section 11. Toxicological Information**

**Toxicology: Acute Oral LD<sub>50</sub> (rat) = > 2,000 mg/KG**

**Acute Dermal LD<sub>50</sub> (rabbit) = > 2,000 mg/KG**

**Acute Inhalation LC<sub>50</sub> (rat) = > 27.1 mg/L (6 hours)**

**Skin Irritation:** Mildly irritating.

**Eye Irritation:** Mild irritation to eyes.

**Acute Inhalation Toxicity:** Expected to be an irritant to the respiratory system.

**Reproductive Toxicity:** No evidence of adverse effects on sexual function and fertility or on development, based on animal experiments.

**Carcinogenic Effects:** None.

**Section 12. Ecological Information**

**Ecotoxicity:** LC<sub>50</sub>(Zebra fish) = 245 mg/L (96 hours)  
EC<sub>50</sub>(Green algae) = > 200 mg/L (72 hours)  
EC<sub>50</sub>(Daphnia) = > 193 mg/L (48 hours)

This is toxic to aquatic organisms.

**Environmental Fate:** Ingredients are somewhat bio degradable.

**Section 13. Disposal Considerations**

**Waste Disposal Method:** Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal Regulations. DO NOT HEAT OR CUT THE EMPTY CONTAINER WITH AN ELECTRIC OR GAS TORCH.

**Container Handling and Disposal:** All containers should be triple rinsed and disposed of according to local, state and Federal regulations.

**Section 14. Transport Information**

**Shipping Name:** ROYALSIL HI-PURITY TEOS-40

**Proper Shipping Description (Ground):**

UN1993, Flammable liquid, N.O.S., (Tetraethyl orthosilicate hydrolyzed), 3, III

**IATA: (Cargo aircraft only)**

UN1993, Flammable liquid, N.O.S., (Tetraethyl orthosilicate hydrolyzed), 3, III

**IMO (Water):**

UN1993, Flammable liquid, N.O.S., (Tetraethyl orthosilicate hydrolyzed), 3, III

**Section 15. Regulatory Information**

**EPCRA 311/312 Categories:** Immediate (Acute) Health Effects: Yes  
Delayed (Chronic) Health Effects: No  
Fire Hazard: Yes  
Sudden Release of Pressure: No  
Reactivity: No

**Right to know classification:** Tetraethyl orthosilicate and ethanol are listed in the states of MA, NJ and PA.

**TSCA:** Tetraethyl orthosilicate and ethanol are listed on the TSCA active inventory list.

**Reportable Quantity (RQ):** Ethanol has an RQ of 100 LBS (45.36 KG) has an RQ of 10,000 LBS (4535.92 KGS). Neither are met in present packaging.

**Prop. 65:** None.



**WHMIS:** Flammable and Combustible materials.  
Both ingredients are listed in Canada in DSL and NDSL lists.

Compounds are listed as chemical inventories of Australia, Canada, China, EU, Japan, Korea, Philippines, United Kingdom and United States of America.

**Abbreviations:**

---

CAS #	Chemical Abstract Service Number		
°C	Celsius Temperature Scale	°F	Fahrenheit Temperature Scale
EINECS #	European Inventory of Existing Chemical Substances Number		
hPa	hectopascal	LD <sub>50</sub>	Lethal Dose Oral or Dermal
LC <sub>50</sub>	Lethal Inhalation	LEL	Lower Explosive Limit
UEL	Upper Explosive Limit	PEL	Permissible Exposure Limit
PPE	Personal Protective Equipment	Prop.	Proprietary
PSI	Pounds Per Square Inch	NA	Not Applicable
ND	Not Determined	STEL	Short Term Exposure Limit
TLV	Threshold Limit Value	TSCA	Toxic Substance Control Act
TWA	Time Weighted Average		

---

**Section 16. Other Information**

**Hazardous Material Information System**

**National Fire Protection Association**

HMIS		NFPA	
2	Health	2	Health
4	Fire	4	Fire
1	Reactivity	1	Instability
H	Personal Protection		NA

Health	4 Deadly	3 Extreme Danger	2 Dangerous	1 Slight hazard	0 No hazard
Fire	4 < 73 °C	3 < 100 °C	2 < 200 °C	1 >200 °C	0 Will not burn
Reactivity/ Instability	4 May detonate	3 Explosive	2 Unstable	1 Normally stable	0 Stable

**Prepared by: Dennis E. Belau**

**Reviewed by: Rosario A. Licciardello**  
**ROSARIO@ROYALSIL.com**

This Safety Data Sheet (SDS) meets the requirements of the Federal OSHA Hazard Communication Standard (29 CFR 1910.1200) this product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all information required by CPR.

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability or completeness.

It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own use. We do not accept liability for any loss or damage that may occur from the use of this information.

Nothing herein shall be construed as a recommendation for uses which infringe on valid patents or as extending the license under valid patents. This SDS provides selected regulatory information on this product, including its components.

This is not intended to include all regulations. It is the responsibility of the user to know and comply with all applicable rules, regulations and laws related to the product being used.

#### **DISCLAIMER**

Strictly for Commercial or Research and Development use only. Not intended for drug, household or other noncommercial uses.

The use of "Qualitative Determinations of Organosilanes" is subject to many variables which can be environmentally or human caused which may allow the reading of results to be inaccurate.

The user of this information takes full responsibility in how these tests are performed and the seller in no way expressed, written or implied is responsible for the interpretation of the results. All use of these tests is the full responsibility of the user.

#### **WARRANTY**

The information above in the Safety Data Sheet is believed to be accurate and represents the best information currently available to ROYALSIL Inc and its supplier.

However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use.

Users should make their own investigations to determine the suitability of the information for their purposes. In no event shall ROYALSIL Inc. or its supplier be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, how so ever arising, even if ROYALSIL Inc and its supplier has been advised of the possibility of such damages. (REV: 9-4-16)